



U.S. Department
of Transportation

**Pipeline and
Hazardous
Materials Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

JUL 12 2005

DOT-E 13616
(SECOND REVISION)

EXPIRATION DATE: June 30, 2007

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: U.S. Department of Commerce
Anchorage, AK
2. PURPOSE AND LIMITATION:
 - a. This exemption authorizes the transportation in commerce of Helium, compressed in DOT specification cylinders which are manifolded and permanently mounted in a protective frame. The cylinders are for use in support of the National Weather Service. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
 - b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.101 Table, Column (9B) in that the quantity limitation for cargo aircraft only is exceeded.
5. BASIS: This exemption is based on the applications of the U.S. Department of Commerce dated April 29, 2005 submitted in accordance with § 107.105 and the public proceeding thereon.

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

JUL 12 2005

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Helium, compressed	2.2	UN1046	N/A

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Prescribed packagings are manifolded DOT Specification 3T, 3AAX, 3AX and 3AA cylinders within a standard ISO container frame bearing an ABS approval and CSC Safety Approval plate with the appropriate Approval number. The ISO container frame may be up to 20' long and 8' wide with heights to 4'3", and may contain cylinders up to 20' in length with water volumes up to 3000 liters. Each cylinder must: 1) be equipped with an individual shutoff valve that is tightly closed while in transit; 2) be separately charged; and 3) be provided with a means to insure that no interchange of cylinder contents can occur during transportation.

b. OPERATIONAL CONTROLS - The authorized air carrier is Lynden Air Cargo.

8. SPECIAL PROVISIONS:

a. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

b. Transportation of cylinders is only authorized to support the National Weather Service.

c. The marking requirements of § 172.301 are waived for each cylinder, however each frame must be marked "DOT-E 13616".

9. MODES OF TRANSPORTATION AUTHORIZED: Cargo aircraft only.

10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each cargo aircraft used to transport packages covered by this exemption. The shipper must

furnish a copy of this exemption to the air carrier before or at the time the shipment is tendered.

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:


- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this exemption must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this exemption are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this exemption must notify the Associate Administrator for Hazardous Materials Safety -- OHMEA, in writing, of any incident involving a package, shipment or operation conducted under terms of this exemption.

Issued in Washington, D.C.:



Robert A. McGuire
Associate Administrator for
Hazardous Materials Safety

JUL 12 2005
(DATE)

JUL 12 2005

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590.
Attention: PHH-31.

Copies of this exemption may be obtained by accessing the Hazardous Materials Safety Homepage at <http://hazmat.dot.gov/exemptions> Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

PO: AM